



INDUSTRIAL AND HOUSEHOLD CLEANER
Glass ceramics polish GP 16
good cleaning and protection against baking

Basis: Wacker		RR 018
Wacker E 32	(1)	0.5
Genapol X 050	(2)	1.0
Genapol X 080	(2)	1.0
Xanthan TN	(3)	0.5
SILLITIN N 85	(4)	20.0
Water, softened		40.5
Wacker Finish WR 301	(1)	4.0
Wacker AK 100	(1)	2.0
Shellsol T	(5)	20.0
<u>Citric acid solution</u>)*		
Water, softened		7.0
Citric acid		3.0
Perfume oil Citrolo	(6)	0.2
Preservative		(as needed) 0.3
Total % by weight		100.0

- Mixing**
- start with water and stir in SILLITIN N 85, Xanthan TN, Wacker E 32, Genapol X 050 and Genapol X 080
 - premix and add Wacker Finish WR 301, Wacker AK 100 and Shellsol T
 - stir in citric acid solution, preservative and Perfume oil Citrolo in the given sequence

)* Citric acid solution:
dissolve citric acid in water

- Suppliers**
- (1) Wacker
 - (2) Clariant
 - (3) Jungbunzlauer
 - (4) HOFFMANN MINERAL
 - (5) Shell Chemicals
 - (6) Symrise

Our applications engineering advice and the information contained in this formulation are based on experience and are made to the best of our knowledge and belief, they must be regarded however as non-binding advice without guarantee. Working and employment conditions over which we have no control exclude any damage claim arising from the use of our data and recommendations. Furthermore we cannot assume any responsibility for patent infringements, which might result from the use of our information.